AUTHOR INDEX TO VOLUME 50, 1993

A

ABRAHAM J *see* FORST L S and ABRAHAM J
ADAMSSON M *see* PERSSON P *et al*
ALEGIANI S S *see* BISANTI L *et al*
ALLEN J A *see* MCKENNA K M *et al*
AMEILLE J *see* CHOUDAT D *et al*
AMERASINGHE P *see* SENANAYAKE N *et al*
AMLIE E *see* FANDREM S I *et al*
ANDERSEN A *see* DANIELSEN T E *et al*
ELLINGSEN D G *et al*
FANDREM S I *et al*
ANDERSEN J B *see* GUÉNEL P *et al*
ANDERSON K *see* MCCONNELL R *et al*
ANDERSON K E *see* MCCONNELL R *et al*
ANGLE C *see* NELSON K *et al*
ANUNDI H *see* EDLING C *et al*
WALLES S A S *et al*
ATTFIELD M D *see* SEIXAS N S *et al*
AYRES J G *see* GANNON P F G *et al*

B

BABAPULLE M *see* SENANAYAKE N *et al*
BANNISTER R M *see* STRAUSS M E *et al*
BARBON R *see* CÁRDENAS A *et al*
BARREGÅRD L *see* ELLINGSEN D G *et al*
SÄLLSTEN G *et al*
BARRICK E D *see* STRAUSS M E *et al*
BARUFFINI A *see* PISATI G *et al*
BASA-CIERPIALEK Z *see* BECHER H *et al*
BASANAYAKE V *see* SENANAYAKE N *et al*
BAUM J M *see* LEINSTER P *et al*
BAXTER P J *see* LEINSTER P *et al*
BECHER H *et al:* Effect of occupational air pollutants on various histological types of lung cancer: a population based case-control study, 136
BÉGIN R *et al:* Computed tomography in the early detection of asbestosis, 689
see also DANIEL H *et al*
BEKESI J G *see* FISCHBEIN A *et al*
BELIN L *see* NILSSON R *et al*
BENAMGHAR L *see* CHAU N *et al*
BENDER J R: Pulmonary effects of exposure to fine fibreglass: irregular opacities and small airways obstruction: *correspondence*, 381
BENSON L O, TETA M J: Mortality due to pancreatic and lymphopoietic cancers in chlorohydrin production workers, 710
see also TETA M J *et al*
BERITIC T: Misconceptions about blood lead concentrations: *forum*, 1123
BERNARD A *see* HOTZ P *et al*
BERNARD A M *see* CÁRDENAS A *et al*
ROELS H *et al*
BERTAUX L *see* DESCHAMPS D *et al*
BERTRAND J P *see* CHAU N *et al*
BERTRAND P *see* BÉGIN R *et al*
BEULINK G D J *see* VAN SITTERT N J *et al*
BIREMBAUT Y *see* MOULIN J J *et al*
BISANTI L *et al:* Cancer mortality in ethylene oxide workers, 317
BLANC M *see* MOULIN J J *et al*
BLANN A D *see* MCKENNA K M *et al*
BLASCHKE E *see* TORNLING G *et al*
BLOT W J *see* LINET M S *et al*
BODELIER-BADE M M *see* VAN ROOIJ J G M *et al*
BOMAN A *see* CAMNER P *et al*
BOND G G, ROSSBACHER R: A review of potential human carcinogenicity of the chlorophenoxy herbicides MCPA, MCPP, and 2,4-DP, 340
BOOGAARD P J *et al:* Effects of exposure to low concentrations of chlorinated hydrocarbons on the kidney and liver of industrial workers, 331
see also VAN SITTERT N J *et al*
BORM P J A, SCHINS P F R: Lymphocyte subsets in subjects exposed to asbestos: changes in circulating natural killer cells: *correspondence*, 575
see also EVELO C T A *et al*
BOS R P *see* EVELO C T A *et al*
BOTTA M *see* MAGNANI C *et al*
BOULENGUEZ C *see* MAREZ T *et al*
BRESLOW N E *see* CHECKOWAY H *et al*
BROCHARD P *see* CHOUDAT D *et al*
BRUCH J *et al:* Toxicological investigations on silicon carbide. 1. Inhalation studies, 797; 2. In vitro cell tests and long term injection tests, 807
BUCHET J P *see* CÁRDENAS A *et al*
ROELS H *et al*
SWENNEN B *et al*
BUCKELL M *et al.* Chronic mercury poisoning (1946,3,55): *editor's choice*, 97
BUDEL P *see* MAGNANI C *et al*
BUNDSCHUH I *see* ROELS H *et al*
BURGE P S *see* GANNON P F G *et al*

C

CAFFARI B *see* BISANTI L *et al*
CALVERT I A *see* GARDINER K *et al*
CAMNER P *et al:* Inhalation of cobalt by sensitised guinea pigs: effects on the lungs, 753
ČAPKUN V *see* ETEROVIĆ D *et al*
CÁRDENAS A *et al:* Markers of early renal changes induced by industrial pollutants. I Application to workers exposed to mercury vapour, 17: II Application to workers exposed to lead, 28
see also ROELS H *et al*
CARPENTER R G *et al:* Death rates of miners and ex-miners with and without coalworkers' pneumoconiosis in South Wales (1956,13,102): *editor's choice*, 577
CASE R A M *et al:* Tumours of the urinary bladder in workmen engaged in the manufacture and use of certain dyestuff intermediates in the British chemical industry (1954,11,75): *editor's choice*, 389
CASSOU B *see* DERRIENNIC F *et al*
CHAN J *see* MUIR D C F *et al*

AUTHOR INDEX TO VOLUME 50, 1993

A

ABRAHAM J *see* FORST L S and ABRAHAM J
ADAMSSON M *see* PERSSON P *et al*
ALEGIANI S S *see* BISANTI L *et al*
ALLEN J A *see* MCKENNA K M *et al*
AMEILLE J *see* CHOUDAT D *et al*
AMERASINGHE P *see* SENANAYAKE N *et al*
AMLIE E *see* FANDREM S I *et al*
ANDERSEN A *see* DANIELSEN T E *et al*
ELLINGSEN D G *et al*
FANDREM S I *et al*
ANDERSEN J B *see* GUÉNEL P *et al*
ANDERSON K *see* MCCONNELL R *et al*
ANDERSON K E *see* MCCONNELL R *et al*
ANGLE C *see* NELSON K *et al*
ANUNDI H *see* EDLING C *et al*
WALLES S A S *et al*
ATTFIELD M D *see* SEIXAS N S *et al*
AYRES J G *see* GANNON P F G *et al*

B

BABAPULLE M *see* SENANAYAKE N *et al*
BANNISTER R M *see* STRAUSS M E *et al*
BARBON R *see* CÁRDENAS A *et al*
BARREGÅRD L *see* ELLINGSEN D G *et al*
SÄLLSTEN G *et al*
BARRICK E D *see* STRAUSS M E *et al*
BARUFFINI A *see* PISATI G *et al*
BASA-CIERPIALEK Z *see* BECHER H *et al*
BASANAYAKE V *see* SENANAYAKE N *et al*
BAUM J M *see* LEINSTER P *et al*
BAXTER P J *see* LEINSTER P *et al*
BECHER H *et al:* Effect of occupational air pollutants on various histological types of lung cancer: a population based case-control study, 136
BÉGIN R *et al:* Computed tomography in the early detection of asbestosis, 689
see also DANIEL H *et al*
BEKESI J G *see* FISCHBEIN A *et al*
BELIN L *see* NILSSON R *et al*
BENAMGHAR L *see* CHAU N *et al*
BENDER J R: Pulmonary effects of exposure to fine fibreglass: irregular opacities and small airways obstruction: *correspondence*, 381
BENSON L O, TETA M J: Mortality due to pancreatic and lymphopoietic cancers in chlorohydrin production workers, 710
see also TETA M J *et al*
BERITIC T: Misconceptions about blood lead concentrations: *forum*, 1123
BERNARD A *see* HOTZ P *et al*
BERNARD A M *see* CÁRDENAS A *et al*
ROELS H *et al*
BERTAUX L *see* DESCHAMPS D *et al*
BERTRAND J P *see* CHAU N *et al*
BERTRAND P *see* BÉGIN R *et al*
BEULINK G D J *see* VAN SITTERT N J *et al*
BIREMBAUT Y *see* MOULIN J J *et al*
BISANTI L *et al:* Cancer mortality in ethylene oxide workers, 317
BLANC M *see* MOULIN J J *et al*
BLANN A D *see* MCKENNA K M *et al*
BLASCHKE E *see* TORNLING G *et al*
BLOT W J *see* LINET M S *et al*
BODELIER-BADE M M *see* VAN ROOIJ J G M *et al*
BOMAN A *see* CAMNER P *et al*
BOND G G, ROSSBACHER R: A review of potential human carcinogenicity of the chlorophenoxy herbicides MCPA, MCPP, and 2,4-DP, 340
BOOGAARD P J *et al:* Effects of exposure to low concentrations of chlorinated hydrocarbons on the kidney and liver of industrial workers, 331
see also VAN SITTERT N J *et al*
BORM P J A, SCHINS P F R: Lymphocyte subsets in subjects exposed to asbestos: changes in circulating natural killer cells: *correspondence*, 575
see also EVELO C T A *et al*
BOS R P *see* EVELO C T A *et al*
BOTTA M *see* MAGNANI C *et al*
BOULENGUEZ C *see* MAREZ T *et al*
BRESLOW N E *see* CHECKOWAY H *et al*
BROCHARD P *see* CHOUDAT D *et al*
BRUCH J *et al:* Toxicological investigations on silicon carbide. 1. Inhalation studies, 797; 2. In vitro cell tests and long term injection tests, 807
BUCHET J P *see* CÁRDENAS A *et al*
ROELS H *et al*
SWENNEN B *et al*
BUCKELL M *et al.* Chronic mercury poisoning (1946,3,55): *editor's choice*, 97
BUDEL P *see* MAGNANI C *et al*
BUNDSCHUH I *see* ROELS H *et al*
BURGE P S *see* GANNON P F G *et al*

C

CAFFARI B *see* BISANTI L *et al*
CALVERT I A *see* GARDINER K *et al*
CAMNER P *et al:* Inhalation of cobalt by sensitised guinea pigs: effects on the lungs, 753
ČAPKUN V *see* ETEROVIĆ D *et al*
CÁRDENAS A *et al:* Markers of early renal changes induced by industrial pollutants. I Application to workers exposed to mercury vapour, 17: II Application to workers exposed to lead, 28
see also ROELS H *et al*
CARPENTER R G *et al:* Death rates of miners and ex-miners with and without coalworkers' pneumoconiosis in South Wales (1956,13,102): *editor's choice*, 577
CASE R A M *et al:* Tumours of the urinary bladder in workmen engaged in the manufacture and use of certain dyestuff intermediates in the British chemical industry (1954,11,75): *editor's choice*, 389
CASSOU B *see* DERRIENNIC F *et al*
CHAN J *see* MUIR D C F *et al*

CHAU N *et al:* Mortality of iron miners in Lorraine (France): relations between lung function and respiratory symptoms and subsequent mortality, 1017
Mortality in retired coke oven plant workers, 127
CHECKOWAY H *et al:* Mortality among workers in the diatomaceous earth industry, 586
CHEN R *et al:* Mortality from lung cancer among copper miners, 505
CHETTLE D R *see* GORDON C L *et al*
CHIA K S *see* LEE J and CHIA K S
CHIAZZE L *et al:* A case-control study of malignant and non-malignant disease among employees of a fibreglass manufacturing facility: *correspondence,* 287
A case-control study of malignant and non-malignant respiratory disease among employees of a fibreglass manufacturing facility. II Exposure assessment, 717
CHINN D J *et al:* Pre-employment lung function at age 16 years as a guide to lung function in adult life, 422
CHMIELNICKA J *see* MATCZAK W and CHMIELNICKA J
CHOUDAT D *et al:* Respiratory symptoms, lung function, and pneumoconiosis among self employed dental technicians, 443
CHURG A, STEVENS B: Absence of amosite asbestos in airway mucosa of non-smoking long term workers with occupational exposure to asbestos, 355
CLAPP R *see* MCCONNELL R *et al*
CLARKE W G *see* CARPENTER R G *et al*
CLAUSEN J *et al.* Lung function in insulation workers, 252
COCHRANE A L *see* CARPENTER R G *et al*
COLE R B *see* GANNON P F G *et al*
COLMAN N *see* BÉGIN R *et al*
COLMSJÖ A *see* LÖF A *et al*
COMMINS B T *see* WALLER R E *et al*
CONNELLAN S *see* GANNON P F G *et al*
COOKSON W O C M *see* DE KLERK N H *et al*
CORN C J *see* DODSON R F *et al*
COTES J E *see* CHINN D J *et al*
COULTAS D B *see* MULLOY K B *et al*
CRUDDAS A M *see* GARDNER M J *et al*
CRUICKSHANK C N D, SQUIRE J R: Skin cancer in the engineering industry from the use of mineral oil (1950,7,1): *editor's choice,* 289

D

DALENE M *see* PERSSON P *et al*
DALLY S *see* DESCHAMPS D *et al*
DALPHIN J C *et al:* Prevalence and risk factors for chronic bronchitis and farmer's lung in French dairy farmers, 941
DANIEL H *et al:* Effects of phosphorylation of chrysotile on pleuropulmonary fibrogenicity and carcinogenicity, 167
DANIELL W *et al:* Neuropsychological performance and solvent exposure among car body repair shop workers, 368: *correspondence reply,* 1126
DANIELSEN T E *et al:* Incidence of cancer among welders of mild steel and other shipyard workers, 1097
DANILOVSKAJA Y V *see* GUSEV V A *et al*
DAVIS J M G: The need for standardised testing procedures for all products capable of liberating respirable fibres: the example of materials based on cellulose: *forum,* 187
DE BEER M *see* MURRAY J *et al*
DE BROE M E *see* CÁRDENAS A *et al*
ROELS H *et al*
DE GAUDEMARIS R *see* MOULIN J J *et al*
DE KLERK N H *et al:* Radiographic abnormalities and mortality in subjects with exposure to crocidolite, 902
DEBIEUVRE D *see* DALPHIN J C *et al*
DEBIOLLES M P *see* MOULIN J J *et al*
DEMERS P A *see* CHECKOWAY H *et al*
DEPIERRE A *see* DALPHIN J C *et al*
DERRIENNIC F *et al:* Evolution of osteoarticular disorders as a function of past heavy physical work factors: longitudinal analysis of 627 retired subjects living in the Paris area, 851
DESCHAMPS D *et al:* Evoked potentials and cerebral blood flow in solvent induced psycho-organic syndrome, 325
DIAMOND R *see* WHITE R F *et al*
DODSON R F *et al:* Analysis of ferruginous bodies in bronchoalveolar lavage from foundry workers, 1032
DOLL R: Mortality from lung cancer in asbestos workers (1955,12,81): *editor's choice,* 484
DONALDSON K *see* LI X Y *et al*
DUBIEZ A *see* DALPHIN J C *et al*
DUFRESNE A *see* MCDONALD J C *et al*
DUJIĆ Ž *see* ETEROVIĆ D *et al*
DUNNIGAN J: Chrysotile asbestos revisited: *correspondence,* 862
DYER J *et al:* Plumboporphyria (ALAD deficiency) in a lead worker: a scenario for potential diagnostic confusion, 1119

E

EDLING C *et al:* Increase in neuropsychiatric symptoms after occupational exposure to low levels of styrene, 843
Occupational exposure to organic solvents as a cause of sleep apnoea, 276
see also FRIIS L *et al;* WALLES S A S *et al*
EDMÉ J L *see* MAREZ T *et al*
EDWARDS J W, PRIESTLY B G: Sister chromatid exchanges in lymphocytes of petroleum retailers, 149
EFSKIND J *see* ELLINGSEN D G *et al*
EKLUND A *see* TORNLING G *et al*
ELINDER C G *see* JÄRUP L and ELINDER C G
ELLAPOLA S B *see* SENANAYAKE N *et al*
ELLER P M: Neuropsychological performance and solvent exposure among car body repair shop workers: *correspondence,* 1126
ELLINGSEN D G *et al:* Assessment of renal dysfunction in workers previously exposed to mercury vapour at a chloralkali plant, 881
Incidence of cancer and mortality among workers exposed to mercury vapour in the Norwegian chloralkali industry, 875
Mercury and selenium in workers previously exposed to mercury vapour at a chloralkali plant, 745
Relation between exposure related indices and neurological and neurophysiological effects in workers previously exposed to mercury vapour, 736
ELLIOTT C *see* CHINN D J *et al*
ERICSSON J L E *see* LINET M S *et al*
ETEROVIĆ D *et al:* High resolution pulmonary computed tomography scans quantified by analysis of density distribution: application to asbestosis, 514
EVANOFF B A *et al:* Mortality and incidence of cancer in a cohort of Swedish chimney sweeps: an extended follow up study, 450
EVELO C T A *et al:* Decreased glutathione content and glutathione S-transferase activity in red blood cells of coal miners with early stages of pneumoconiosis, 633
EYSSEN G E *see* MCDONALD J C *et al*

F

FABBRI L M *see* VANDENPLAS O *et al*
FANDREM S I *et al:* Incidence of cancer among workers in a Norwegian nitrate fertiliser plant, 647
FAUCON D *see* MOULIN J J *et al*
FECHNER M *see* CHINN D J *et al*
FELS L M *see* CÁRDENAS A *et al*
FIGUEREDO A *see* CHAU N *et al*

FILJON R *see* BÉGIN R *et al*
FIORETTA G *see* GUBÉRAN E *et al*
FISCHBEIN A *et al:* The immune system as target for subclinical lead related toxicity, 185
FLAK E *see* BECHER H *et al*
FLYVHOLM M-A: Contact allergens in registered cleaning agents for industrial and household use, 1043
FORST L S, ABRAHAM J: Hypersensitivity pneumonitis presenting as sarcoidosis, 497
FOURNIER J *see* NEJJARI A *et al*
FRANCHINI I *see* CÁRDENAS A *et al*
ROELS H *et al*
FRAUMENI J F *see* LINET M S *et al*
FRECH W *see* ELLINGSEN D G *et al*
FRIIS L *et al:* Mortality and incidence of cancer among sewage workers: a retrospective cohort study, 653
FRYAR C *see* CHIAZZE L *et al*
FUJINO A *see* MORIMOTO Y *et al*
FUNAKI M *see* YANO E *et al*

G

GAARDER P I *see* ELLINGSEN D G *et al*
GABREËLS F *see* ROELEVELD N *et al*
GANNON P F G *et al:* Health, employment, and financial outcomes in workers with occupational asthma, 491
The SHIELD scheme in the West Midlands Region, United Kingdom, 791
GARCIA J G N *see* DODSON R F *et al*
GARDINER K *et al:* Respiratory health effects of carbon black: a survey of European carbon black workers, 1082
GARDNER M J *et al:* A cohort study of workers exposed to formaldehyde in the British chemical industry: an update, 827
see also SHORE R E *et al*
GARNIER R *see* DESCHAMPS D *et al*
GARRICK D P *see* DYER J *et al*
GARY Y *see* MOULIN J J *et al*
GIBBS G W: Biological indicators and their clinical significance in persons exposed to mineral fibres: report of a workshop held in Japan, 24-25 November 1991, 412
see also MCDONALD J C *et al*
GLANCY J J *see* DE KLERK N H *et al*
GLINDMEYER H W *see* HUGHES J M *et al*
GOLDOFT M *et al:* Nasal melanoma: *correspondence*, 767
GOLNICK J *see* NELSON K *et al*
GOMOLA K *see* BECHER H *et al*
GONO E *see* BRUCH J *et al*
GORDON C L *et al:* An improved instrument for the in vivo detection of lead in bone, 637
GOTO S *see* OGAWA Y *et al*
GREENBERG M: Asbestos and cancer: history and public policy: *correspondence*, 95
GRIFFIN M J *see* MAEDA S and GRIFFIN M J
GRIFFITH D E *see* DODSON R F *et al*
GROENENDAL H *see* NELEMANS P J *et al*
GROESENEKEN D *see* VEULEMANS H *et al*
GUBÉRAN E *et al:* Mortality and incidence of cancer among a cohort of self employed butchers from Geneva and their wives, 1008
GUÉNEL P *et al:* Incidence of cancer in persons with occupational exposure to electromagnetic fields in Denmark, 758
GURUNATHAN G *see* SENANAYAKE N *et al*
GUSEV V A *et al:* Effect of quartz and alumina dust on generation of superoxide radicals and hydrogen peroxide by alveolar macrophages, granulocytes, and monocytes, 732
GUSTAVSSON P *see* EVANOFF B A *et al*
GUTZWILLER F *see* HOTZ P *et al*

H

HAGMAR L *et al:* Cancer incidence and mortality in the Swedish polyurethane foam manufacturing industry, 537
Incidence of cancer and exposure to toluene diisocyanate and methylene diphenyldiisocyanate: a cohort based case-referent study in the polyurethane foam manufacturing industry, 1003
see also FRIIS L *et al;* PERSSON P *et al*
HAGUENOER J M *see* MAREZ T *et al*
MOULIN J J *et al*
HAKULINEN T R *see* KAUPPINEN T P *et al*
HAMAGUCHI T *see* TAKEBAYASHI T *et al*
HAMMAD Y Y *see* HUGHES J M *et al*
HARABUCHI I *et al:* Circadian variations of acute toxicity and blood and brain concentrations of inhaled toluene in rats, 280
see also KISHI R *et al*
HARRINGTON J M *see* GARDINER K *et al*
HART T B *see* SENANAYAKE N *et al*
HEDENSTRÖM H *see* MALMBERG P *et al*
HERNBERG S G *see* KAUPPINEN T P *et al*
HEYER N J *see* CHECKOWAY H *et al*
HIGASHI T *see* MORIMOTO Y *et al*
HIRATA M *see* OGAWA Y *et al*
HJELM E W *see* LÖF A *et al*
HOBBS M S T *see* DE KLERK N H *et al*
HOGSTEDT C *see* EVANOFF B A *et al*
HOLLAND R I *see* ELLINGSEN D G *et al*
HONEYBOURNE D *see* GANNON P F G *et al*
HORSTMAN S W *see* DANIELL W *et al*
HORSTMANN V *see* JAKOBSSON K *et al*
HÖRTE L-G, TOREN K: Smoking adjusted mortality due to asthma in a population of Swedish working women: *correspondence*, 575
HOSKER M E *see* CASE R A M *et al*
HOSODA K *see* TAKEBAYASHI T *et al*
HOTTER G *see* CÁRDENAS A
HOTTER G *see* ROELS H *et al*
HOTZ P *et al:* Serum laminin, hydrocarbon exposure, and glomerular damage, 1104
HU H *see* WHITE R F *et al*
HUANG H *see* CHEN R *et al*
HUANG J *et al:* Comprehensive health evaluation of workers in the ceramics industry, 112
HUGHES J M *et al:* Follow up study of workers exposed to man made mineral fibres, 658
HUILAN Z, ZHIMING W: Study of occupational lung cancer in asbestos factories in China, 1039
HUISMAN B *see* VAN SITTERT N J *et al*
HULTBERG B *see* ELLINGSEN D G *et al*
HUNTER D *see* BUCKELL M *et al*
HUNTING K L, WELCH L S: Occupational exposure to dust and lung disease among sheet metal workers, 432
HUSTINX W N M *et al:* Systemic effects of inhalational methyl bromide poisoning: a study of nine cases occupationally exposed due to inadvertent spread during fumigation, 155

I

ICHIKAWA Y E *see* OGAWA Y *et al*
IGISU H: Haemolysis of human erythrocytes by pentachlorophenol and its suppression by albumin, 378
IKEDA T *see* HARABUCHI I *et al*
KATAKURA Y *et al*
KISHI R *et al*
INGLIS A *see* DYER J *et al*
IPPOLITO F M *see* BISANTI L *et al*
IVALDI C *see* MAGNANI C *et al*
IWATSUBO Y *see* DERRIENNIC F *et al*

J

JACKSON J, JONES A H: Haemolytic anaemia in a case of occupational asthma due to maleic anhydride: *correspondence*, 191
JADON N *see* MUIR D C F *et al*
JAKOBSSON K *et al:* Mortality and cancer morbidity among cement workers, 264
JÄRRHOLM B: Incidence of lung cancer by histological type among asbestos cement workers in Denmark: *correspondence*, 767
JÄRUP L, ELINDER C G: Incidence of renal stones among cadmium exposed battery workers, 598
JÄRVHOLM B *see* SANDÉN Å *et al*
JEDRYCHOWSKI W *see* BECHER H *et al*
JEGADEN D *see* MOULIN J J *et al*
JOHANSON G *see* EDLING C *et al*
WALLES S A S *et al*
JOHANSSON A *see* CAMNER P *et al*
JONATHAN G *see* CARPENTER R G *et al*
JONES A H *see* JACKSON J and JONES A H
JONES R N *see* HUGHES J M *et al*
JONGENEELEN F J *see* VAN ROOIJ J G M *et al*
JULIAN J *see* MUIR D C F *et al*
JUNG D *see* MUTTRAY A *et al*

K

KATAKURA Y *et al:* Distribution of radioactivity from 14C-formaldehyde in pregnant mice and their fetuses, 175
see also KISHI R *et al*
KAUPPINEN T P *et al:* Chemical exposures and respiratory cancer among Finnish woodworkers, 143
KIDO M *see* MORIMOTO Y *et al*
KIELKOWSKI D *see* MURRAY J *et al*
KIEMENEY L A L M *see* NELEMANS P J *et al*
KILBURN K J *et al:* Pulmonary effects of exposure to fine fibreglass: irregular opacities and small airways obstruction: *correspondence*, 863
KING W J: A potential cause of bladder cancer: *correspondence*, 380
KISHI R *et al:* Acute effects of trichloroethylene on blood concentrations and performance decrements in rats and their relevance to humans, 470
see also HARABUCHI I *et al;* KATAKURA Y *et al*
KIYOSAWA H *see* HARABUCHI I *et al*
KJUUS H *see* ELLINGSEN D G *et al*
FANDREM S I *et al*
KNUDSEN O *see* DANIELSEN T E *et al*
KONIETZKO J *see* MUTTRAY A *et al*
KORN T *see* NELSON K *et al*
KORSGAARD B *see* RAFFN E *et al*
KOZONO J *see* CHIAZZE L *et al*
KUSIAK R A *et al:* Mortality from lung cancer in Ontario uranium miners, 920
Mortality from stomach cancer in Ontario miners, 117

L

LAMB D *see* LI XY *et al*
LANDRIGAN P J *see* MCCONNELL R *et al*
LANDRO-OLSTAD M *see* ELLINGSEN D G *et al*
LANE R E: The care of the lead worker (1949,**6**,125): *editor's choice*, 193
LANGÅRD S *see* DANIELSEN T E *et al*
LAPLANTE J J *see* DALPHIN J C *et al*
LARSSON S *see* SANDÉN Å *et al*
LATERRIÈRE B *see* MOULIN J J *et al*
LAUWERYS R *see* HOTZ P *et al*
SWENNEN B *et al*
LAUWERYS R R *see* CÁRDENAS A *et al*
ROELS H *et al*
LAWTHER P J *see* WALLER R E *et al*
LEANDERSON P *see* NEJJARI A *et al*
LEE H S *see* NG TP *et al*
LEE J: Sample size and power considerations to procure the required number of subjects with a certain attribute: *correspondence*, 765
CHIA K S: Estimation of prevalence rate ratios for cross sectional data: an example in occupational epidemiology: *correspondence*, 861
see also GOLDOFT M *et al*
LEINSTER P *et al:* An assessment of exposure to glutaraldehyde in hospitals: typical exposure levels and recommended control measures, 107
LÉONARD M *see* MOULIN J J *et al*
LETOURNEUX M *see* CHOUDAT D *et al*
LEWIN-SMITH R G: Objective testing for vasospasm in the hand-arm vibration syndrome: *correspondence*, 381
LI X Y *et al:* Production of interleukin 1 by rat pleural leucocytes in culture after intratracheal instillation of crocidolite asbestos, 90
LIDDELL F D *see* MCDONALD J C *et al*
LILLE F *see* DESCHAMPS D *et al*
LIMING P, XUN W: Lymphocyte B and T cell subsets in peripheral blood from patients with asbestosis, 183
LINDBERG A *see* EDLING C *et al*
LINET M S *et al:* Non-Hodgkin's lymphoma and occupation in Sweden: a registry based analysis, 79
LISON D *see* SWENNEN B *et al*
LISS G M, TARLO S M: Toluene diisocyanate induced asthma: outcome according to persistence or cessation of exposure: *correspondence*, 1055
LÖF A *et al:* Toxicokinetics of toluene and urinary excretion of hippuric acid after human exposure to 2H8-toluene, 55
LOMONOSOVA O S *see* GUSEV V A *et al*
LUGTENBURG D *see* VAN SITTERT N J *et al*
LUKÁŠ E *see* ŠTĚTKÁŘOVÁ I *et al*
LUKKONEN R A *see* KAUPPINEN T P *et al*
LUNDBORG M *see* CAMNER P *et al*
LUNDMARK B-O *see* LÖF A *et al*
LUO J-CJ *see* FISCHBEIN A *et al*
LYNGE E *see* GUÉNEL P *et al*
RAFFN E *et al*

M

MCCONNELL R *et al:* Angiosarcoma, porphyria cutanea tarda, and probable chloracne in a worker exposed to waste oil contaminated with 2,3,7,8-tetrachlorodibenzo-p-dioxin, 699
MCCREDIE M, STEWART J H: Risk factors for kidney cancer in New South Wales. IV. Occupation, 349
MCDONALD A D *see* MCDONALD J C *et al*
MCDONALD D B *see* CASE R A M *et al*
MCDONALD J C *et al:* Dust exposure and mortality in chrysotile mining, 1910–75 (1980,**37**,11): *editor's choice*, 1058
The 1891–1920 birth cohort of Quebec chrysotile miners and millers: mortality 1976-88, 1073
MCGRANN S *see* MCKENNA K M *et al*
MCKENNA K M *et al:* An investigation into the acute vascular effects of riveting, 160
MCLAUGHLIN J K *see* LINET M S *et al*
MAEDA K *see* YANO E *et al*
MAEDA S, GRIFFIN M J: Temporary threshold shifts in fingertip vibratory sensation from hand-transmittted vibration and repetitive shock, 360
MAEHLE W *see* MUIR D C F *et al*
MAGGINI M *see* BISANTI L *et al*

MAGNANI C *et al:* A cohort study on mortality among wives of workers in the asbestos cement industry in Casale Monferrato, Italy, 779
MAHEU M F *see* DALPHIN J C *et al*
MALKER H S R *see* LINET M S *et al*
MALKUSCH W *see* BRUCH J *et al*
MALMBERG P *et al:* Changes in lung function of granite crushers exposed to moderately high silica concentrations: a 12 year follow up, 726
MALO J-L *see* VANDENPLAS O *et al*
MANCINI A *see* MAGNANI C *et al*
MAPP C E *see* VANDENPLAS O *et al*
MAREZ T *et al:* Bronchial symptoms and respiratory function in workers exposed to methylmethacrylate, 894
MARINI F *see* MOULIN J J *et al*
MASSARDIER C *see* Moulin J J *et al*
MASSCHELEIN R *see* VEULEMANS H *et al*
MATCZAK W, CHMIELNICKA J: Relation between various chromium compounds and some other elements in fumes from manual metal arc stainless steel welding, 244
MATSUNAGA C *see* YANO E *et al*
MEDING B *see* NILSSON R *et al*
MENTZER K: Pulmonary effects of exposure to fine fibreglass: irregular opacities and small airways obstruction: *correspondence*, 863
MEREAU M *see* MOULIN J J *et al*
MEULENBELT J *see* HUSTINX W N M *et al*
MIDLAND THORACIC SOCIETY RESEARCH GROUP *see* GANNON P F G *et al*
MIKOCZY Z *see* HAGMAR L *et al*
MILTON R *see* BUCKELL M *et al*
MIRER F E, PARK R M: A case-control study of malignant and non-malignant disease among employees of a fibreglass manufacturing facility: *correspondence*, 287
MITRA S: A study of the health conditions of child workers in a small scale leather industry in Calcutta, 938
MIYAKE H *see* HARABUCHI I *et al*
KATAKURA Y *et al*
KISHI R *et al*
MONFORT C *see* DERRIENNIC F *et al*
MONNET E *see* DALPHIN J C *et al*
MONTGOMERY M R *see* REASOR M J and MONTGOMERY M R
MOORE F *see* CARPENTER R G *et al*
MOREY C *see* WHITE R F *et al*
MORGAN W K C: Coal mining, emphysema, and compensation revisited: *forum*, 1051
see also MUIR D C F *et al*
MORIMOTO Y *et al:* Synergistic effects of mineral fibres and cigarette smoke on the production of tumour necrosis factor by alveolar macrophages of rats, 955
MORLAND T *see* ELLINGSEN D G *et al*
MOSSMAN B T: Mechanisms of asbestos carcinogenesis and toxicity: the amphibole hypothesis revisited: *editorial*, 673
MOULIN J J *et al:* A mortality study among mild steel and stainless steel welders, 234
see also CHAU N *et al*
MOULIN M *see* MOULIN J J *et al*
MOULTON L H *see* SEIXAS N S *et al*
MUIR D C F. Bias: *forum*, 1122
MUIR D C F *et al:* Prevalence of small opacities in chest radiographs of nickel sinter plant workers, 428
MULLER J *see* KUSIAK R A *et al*
MULLOY K B *et al:* Use of chest radiographs in epidemiological investigations of pneumoconioses, 273
MUR J M *see* CHAU N *et al*
MOULIN J J *et al*
MURRAY J *et al:* Cor pulmonale and silicosis: a necropsy based case-control study, 544
MUSK A W *see* DE KLERK N H *et al*
MUTTI A *see* CARDENAS A *et al*
ROELS H *et al*
MUTTRAY A *et al:* Subclinical impairment of colour vision among workers exposed to styrene: *correspondence*, 766

N

NEJJARI A *et al:* Mineral fibres: correlation between oxidising surface activity and DNA base hydroxylation, 501
NELEMANS P J *et al:* Melanoma and occupation: results of a case-control study in The Netherlands, 642
NELSON K *et al:* Manganese encephalopathy: utility of early magnetic resonance imaging, 510
NETTERSTROM B *see* CLAUSEN J *et al*
NEWHOUSE M L, THOMPSON H: Mesothelioma of pleura and peritoneum following exposure to asbestos in the London area (1965,22,262): *editor's choice*, 769
NG T P *et al:* Further evidence of human silica nephrotoxicity in occupationally exposed workers, 907
NICKELS J I *see* KAUPPINEN T P *et al*
NILSSON K *see* EDLING C *et al*
NILSSON R *et al:* Asthma, rhinitis, and dermatitis in workers exposed to reactive dyes, 65
NORDHAGEN H P *see* ELLINGSEN D G *et al*
NORDLINDER R *see* NILSSON R *et al*
NORSTRÖM Å *see* LÖF A *et al*
NUYTS GD *see* CÁRDENAS A *et al*
ROELS H *et al*

O

O'DONNELL J *see* Daniell W *et al*
OGAWA Y *et al:* Latency of the Achilles tendon reflex for detection of reduced functions of the peripheral nervous system in workers exposed to lead, 229
OGLE C J *see* RUNDLE E M *et al*
OKAYAMA A *see* OGAWA Y *et al*
OKUI T *see* KATAKURA Y *et al*
OKUTANI H *see* HUANG J *et al*
OMAE K *see* TAKEBAYASHI T *et al*
OSTIGUY G *see* BÉGIN R *et al*
O'SULLIVAN M *see* DODSON R F *et al*

P

PANNETT B *see* GARDNER M J *et al*
SHORE R E *et al*
PANTIN C F A *see* GANNON P F G *et al*
PARK R M *see* MIRER F E and PARK R M
PARTANEN T J *see* KAUPPINEN T P *et al*
PATRIS A *see* CHAU N *et al*
PEARSON J T *see* CASE R A M *et al*
PERNET D *see* DALPHIN J C *et al*
PERRY K M A *see* BUCKELL M *et al*
PERSSON P *et al:* Biological monitoring of occupational exposure to toluene diisocyanate: measurement of toluenediamine in hydrolysed urine and plasma by gas chromatography-mass spectrometry, 1111
PEZERAT H *see* NEJJARI A *et al*
PHAM Q T *see* CHAU N *et al*
PHOON W H *see* NG T P *et al*
PISATI G *et al:* Toluene diisocyanate induced asthma: outcome according to persistence or cessation of exposure, 60: *correspondence*, 1055
POLIO J C *see* DALPHIN J C *et al*
PONTI A *see* BISANTI L *et al*
POOLE C J M: Seamstress's finger, 668

POPE D *see* SORAHAN T and POPE D
POWERS D *see* KILBURN K H *et al*
PRATT D S, RASK-ANDERSEN A: Inhalation fever: a proposed unifying term for febrile reactions to inhalation of noxious substances: *correspondence*, 287
PRICE R G *see* CÁRDENAS A *et al*
ROELS H *et al*
PRIESTLY B G *see* EDWARDS J W *and* PRIESTLY B G
PROCHÁZKA B *see* ŠTĚTKÁŘOVÁ I *et al*
PROCTOR S *see* WHITE R F *et al*
PUKKALA E I *see* KAUPPINEN T P *et al*
PYE I F *see* DYER J *et al*

R

RAFFIN E *et al:* Incidence of lung cancer by histological type among asbestos cement workers in Denmark, 85; *correspondence*, 767
RAMIS I *see* CÁRDENAS A *et al*
ROELS H *et al*
RAMPEN F H J *see* NELEMANS P J *et al*
RASCHETTI R *see* BISANTI L *et al*
RASK-ANDERSEN A *see* PRATT D S and RASK-ANDERSEN A
RASKMARK P *see* GUÉNEL P *et al*
RAYMOND L *see* GUBÉRAN E *et al*
RAYMOND L W: Semen quality in welders exposed to radiant heat: *correspondence*, 1055
REASOR M J, MONTGOMERY M R: Hexachlorophene exposure in a young patient with soft tissue sarcoma: *correspondence*, 670
REBSTOCK E *see* CHAU N *et al*
REHN B *see* BRUCH J *et al*
REID G *see* MURRAY J *et al*
REURE M *see* MOULIN J J *et al*
REYGAGNE A *see* DESCHAMPS D *et al*
RIBBENS P H *see* VAN SITTERT N J *et al*
RIGAL L *see* MOULIN J J *et al*
RITCHIE A C *see* KUSIAK R A *et al*
ROBERT G *see* MOULIN J J *et al*
ROBERTS R *see* MUIR D C F *et al*
ROBERTSON A S *see* GANNON P F G *et al*
ROBINS T G *see* SEIXAS N S *et al*
ROCCHI P S J *see* BOOGAARD P J *et al*
ROELEVELD N *et al:* Mental retardation and parental occupation: a study on the applicability of job exposure matrices, 945
ROELS H *et al:* Markers of early renal changes induced by industrial pollutants. III Application to workers exposed to cadmium, 37
see also CÁRDENAS A
ROOS J *see* MUIR D C F *et al*
ROSELLÓ J *see* CÁRDENAS A *et al*
ROSENBERG C R: An analysis of the reliability of self reported work histories from a cohort of workers exposed to polychlorinated biphenyls, 822
ROSENSTOCK L *see* DANIELL W *et al*
ROSSBACHER R *see* BOND G G and ROSSBACHER R
ROSSIGNOL C *see* CHOUDAT D *et al*
ROSSITER C E: Pulmonary effects of exposure to fine fibreglass: irregular opacities and small airways obstruction: *correspondence*, 381
see also GARDINER K *et al*
RUIJTEN M W M M *et al:* Verification of effects on the nervous system of low level occupational exposure to CS2, 301
RUITER D J *see* NELEMANS P J *et al*
RUNDLE E M *et al:* Analyses of the 1990 chest health survey of china clay workers, 913
RUSHTON L: Further follow up of mortality in a United Kingdom oil distribution centre cohort, 561
Further follow up of mortality in a United Kingdom oil refinery cohort, 549
RUSSELL W *see* MCCONNELL R *et al*

S

SAETTA M *see* VANDENPLAS O *et al*
SAKURAI H *see* TAKEBAYASHI T *et al*
SALLÉ H J A *see* RUIJTEN M W M M *et al*
SÄLLSTEN G *et al:* Decrease in mercury concentration in blood after long term exposure: a kinetic study of chloralkali workers, 814
SAMET J M *see* MULLOY K B *et al*
SANDÉN Å *et al:* The importance of lung function, non-malignant diseases associated with asbestos, and symptoms as predictors of ischaemic heart disease in shipyard workers exposed to asbestos, 785
SATO A *see* LÖF A *et al*
SATOH T *see* TAKEBAYASHI T *et al*
SAVELKOUL T J F *see* HUSTINX W N M *et al*
SCHILLING R: Donald Hunter 1898–1978: Editor BJIM 1944–50: *editorial*, 5
SCHILLING R S F: A university's contribution to occupational health, 418
Hazards of deep-sea fishing (1971,**28**,27): *editor's choice*, 961
SCHINS P F R *see* BORM P J A and SCHINS P F R
SCHOLTE R *see* NELEMANS P J *et al*
SCHÜTZ A *see* SÄLLSTEN G *et al*
SEATON A: Coal mining, emphysema, and compensation revisited: *forum reply*, 1051
SÉBASTIEN P *see* DANIEL H *et al*
SEGNAN N *see* BISANTI L *et al*
SEIXAS N S *et al:* Longitudinal and cross sectional analyses of exposure to coal mine dust and pulmonary function in new miners, 929
SENANAYAKE N *et al:* An epidemiological study of the health of Sri Lankan tea plantation workers associated with long term exposure to paraquat, 257
SHERWOOD BURGE P *see* GANNON P F G *et al*
SHIBATA E *see* HUANG J *et al*
SHIRALI P *see* MAREZ T *et al*
SHORE R E *et al:* Ethylene oxide: an assessment of the epidemiological evidence on carcinogenicity, 971
SILBERGELD E K *see* MCCONNELL R *et al*
SKARPING G *see* PERSSON P *et al*
SONG H *see* BRUCH J *et al*
SONG W *see* BRUCH J *et al*
SORAHAN T, POPE D: Mortality and cancer morbidity of production workers in the United Kingdom flexible polyurethane foam industry, 528
Mortality study of workers employed at a plant manufacturing chemicals for the rubber industry: 1955–86, 998
SPITZER W O: Low back pain in the workplace: attainable benefits not attained: *editorial*, 385
SPRINGER J *see* KUSIAK R A *et al*
SQUIRE J R *see* CRUICKSHANK C N D and SQUIRE J R
STÁNESCU D *see* SWENNEN B *et al*
STEBBINS A *see* DANIELL W *et al*
STEENLAND K, STAYNER L: An epidemiological study of workers potentially exposed to ethylene oxide: *correspondence*, 1125
STEENO O *see* VEULEMANS H *et al*
ŠTĚTKÁŘOVÁ I *et al:* Somatosensory evoked potentials in workers exposed to toluene and styrene, 520
STEVENS B *see* CHURG A and STEVENS B
STEWART A, WITTS L J: Chronic carbon tetrachloride intoxication (1944,**1**,11): *editor's choice*, 7
STEWART J H *see* MCCREDIE M and STEWART J H

STOCKS J M *see* DODSON R F *et al*
STOLTE H *see* CÁRDENAS A *et al*
ROELS H *et al*
STRAUSS M E *et al:* Mortality experience of employees exposed to 2-mercaptobenzothiazole at a chemical plant in Nitro, West Virginia, 888
STRÖMBERG U *see* HAGMAR L *et al*
SUGAR E R *see* RUNDLE E M *et al*
SUNDBLAD B-M *see* MALMBERG P *et al*
SWENNEN B *et al:* Epidemiological survey of workers exposed to cobalt oxides, cobalt salts, and cobalt metal, 835

T

TAKEBAYASHI T *et al:* Evaluation of delta-aminolaevulinic acid in blood of workers exposed to lead, 49
TAKEUCHI Y *see* HUANG J *et al*
TANAKA I *see* MORIMOTO Y *et al*
TANAKA K *see* YANO E *et al*
TARLO S M *see* LISS G M and TARLO S M
TAYLOR P J: Individual variations in sickness absence (1967,**24**,169): *editor's choice*, 865
TAYLOR S A *see* CÁRDENAS A *et al*
ROELS H *et al*
TECULESCU D *see* CHAU N *et al*
TERRACINI B *see* MAGNANI C *et al*
TETA M J *et al:* Mortality study of ethylene oxide workers in chemical manufacturing: a 10 year update, 704
see also BENSON L O AND TETA M J
THIELEMANS N *see* HOTZ P *et al*
THOMASSEN Y *see* ELLINGSEN D G *et al*
THOMPSON H *see* NEWHOUSE M L and THOMPSON H
TOAMAIN J P *see* MOULIN J J *et al*
TOCILJ J *see* ETEROVIĆ D *et al*
TOREN K *see* HÖRTE L-G and TOREN K
TORNLING G *et al:* Long term effects of alumina on components of bronchoalveolar lavage fluid from rats, 172
TOSON B *see* DALPHIN J C *et al*
TRAN DINH Y *see* DESCHAMPS D *et al*
TRENT L S *see* WONG O and TRENT L S
TRETHOWAN N W *see* GARDINER K *et al*
TRIEM S *see* CHOUDAT D *et al*
TSANG P *see* FISCHBEIN A *et al*

U

UDUPIHILLE M *see* SENANAYAKE N *et al*
ULFBERG J *see* EDLING C *et al*
URBAN P *see* ŠTĚTKÁŘOVÁ I *et al*
USEL M *see* GUBRAN E *et al*

V

VAN DE LAAR R T H *see* HUSTINX W N M *et al*
VAN HUFFELEN A C *see* HUSTINX W N M *et al*
VAN SITTERT N J *et al:* A nine year follow up study of renal effects in workers exposed to cadmium in a zinc ore refinery, 603
Application of the urinary S-phenylmercapturic acid test as a biomarker for low levels of exposure to benzene in industry, 460
see also BOOGAARD P J *et al*
VANDENPLAS O *et al:* Occupational asthma and extrinsic alveolitis due to isocyanates: current status and perspectives, 213
VANROOIJ J G M *et al:* Estimation of individual dermal and respiratory uptake of polycyclic aromatic hydrocarbons in 12 coke oven workers, 623
VATOLKINA O Y *see* GUSEV V A *et al*
VAUGHAN T *see* Goldoft M *et al*
VELICHKOVSKY B T *see* Gusev V A *et al*
VERBEEK A L M *see* NELEMANS P J *et al*
VERBERK M M *see* RUIJTEN M W M M *et al*
VERWEY J C *see* HUSTINX W N M *et al*
VEULEMANS H *et al:* Exposure to ethylene glycol ethers and spermatogenic disorders in man: a case-control study, 71
VICREY C *see* CHOUDAT D *et al*
VIOSSAT M *see* MOULIN J J *et al*
VITALE J N *see* TETA M J *et al*

W

WAHLBERG J E *see* CAMNER P *et al*
WAHRENDORF J *see* BECHER H *et al*
WALLER R E *et al:* Air pollution in a city street (1965,**22**,128): *editor's choice*, 677
WALLES S A S *et al:* Exposure dependent increase in DNA single strand breaks in leucocytes from workers exposed to low concentrations of styrene, 570
WARSHAW R H *see* KILBURN K H *et al*
WASS U *see* NILSSON R *et al*
WASTIAUX A *see* DANIEL H *et al*
WATKINS D K *see* CHIAZZE L *et al*
WEBBER C E *see* GORDON C L *et al*
WEI L *see* CHEN R *et al*
WEILL B *see* CHOUDAT D *et al*
WEILL H: Future of research into occupational lung disease: *editorial*, 481
see also HUGHES J M *et al*
WEINER J A *see* LINET M S *et al*
WEIR D C *see* GANNON P F G *et al*
WEISS N *see* GOLDOFT M *et al*
WEISS W: Pulmonary effects of exposure to fine fibreglass: irregular opacities and small airways obstruction: *correspondence*, 1054
WELCH L S *see* HUNTING K L and WELCH L S
WELINDER H *see* HAGMAR L *et al*
JAKOBSSON K *et al*
WELLER M P I: Asbestos and cancer: history and public policy: *correspondence*, 671
WHITE R F *et al:* Residual cognitive deficits 50 years after lead poisoning during childhood, 613
WILD P *see* MOULIN J J *et al*
WINTER P D *see* GARDNER M J *et al*
WITTS L J *see* STEWART A and WITTS L J
WOLFF C *see* CLAUSEN J *et al*
WONG O, TRENT L S: An epidemiological study of workers potentially exposed to ethylene oxide, 308: *correspondence reply*, 1125

X

XUN W *see* LIMING P AND XUN W

Y

YAMAOKA K *see* YANO E *et al*
YANO E *et al.* Effect of smoking on pleural thickening in asbestos workers, 898
YOKOSAKI Y *see* MORIMOTO Y *et al*

Z

ZANETTI R *see* MAGNANI C *et al*
ZEDDA S *see* PISATI G *et al*
ZHIMING W *see* HUILAN Z and ZHIMING W
ZIELHUIS G A *see* ROELEVELD N *et al*

SUBJECT INDEX TO VOLUME 50, 1993

Note: All conferences, notices and other announcements are under one heading: NOTICES

A

Achilles tendon reflex latency in detection of peripheral nervous system impaired from lead exposure, 229
Air pollutants, occupational, effect on histological types of lung cancer, 136
Air pollution in a city street: *editor's choice*, 677
Airways obstruction, and fine fibreglass exposure: *correspondence*, 381, 382, 863, 1054
ALAD deficiency, *see* delta-Aminolaevulinic acid: Aminolaevulinic acid dehydratase: Plumboporphyria
Albumin suppression of haemolysis of erythrocytes by pentachlorophenol, 378
Allergens, contact, in registered cleaning agents for industrial and household use, 1043
Alumina
  long term effects on components of bronchoalveolar lavage fluid from rats, 172
  and quartz dust, effect on generation of superoxide radicals and hydrogen peroxide by alveolar macrophages, granulocytes, and monocytes, 732
Alveolar macrophages, production of TNF, synergistic effects of mineral fibres and cigarette smoke, rats, 955
Amendment, 672
delta-Aminolaevulinic acid, in blood of workers exposed to lead, evaluation, 49
Aminolaevulinic acid dehydratase deficiency in lead worker, scenario for potential diagnostic confusion, 1119
Amosite asbestos, absence in airways of non-smoking long term workers exposed to asbestos, 355
Angiosarcoma, porphyria cutanea tarda, and probable chloracne, in worker exposed to waste oil contaminated with 2,3,7,8-tetrachlorodibenzo-p-dioxin, 699
Asbestos
  analysis of ferruginous bodies in BAL from foundry workers, 1032
  and cancer, history and public policy: *correspondence*, 95, 671
  carcinogenesis and toxicity, mechanisms, amphibole hypothesis revisited: *editorial*, 673
  cement workers
    lung cancer incidence by histological type, Denmark, 85; *correspondence*, 767
    mortality among wives, Casale Monferrato, Italy, 779
  chrysotile, revisited: *correspondence*, 862
  deliberate concealment of hazards, and bias: *forum*, 1122
  exposure
    absence of amosite asbestos in airways of non-smokers, 355
    and predictors of ischaemic heart disease, shipyard workers, 785
  factories, occupational lung cancer, China, 1039
  lymphocyte subsets in subjects exposed to, changes in circulating natural killer cells: *correspondence*, 575
  mesothelioma of pleura and peritoneum following exposure, London area: *editor's choice*, 769
  workers
    effect of smoking on pleural thickening, 898
    mortality from lung cancer (1955,12,81): *editor's choice*, 484
Asbestosis
  CT in early detection, 689
  and high resolution pulmonary computed tomography scans quantified by analysis of density distribution, 514
  lymphocyte B and T cell subsets in peripheral blood, 183
Asthma
  occupational
    due to isocyanates, 213; amendment, 672
    and haemolytic anaemia due to maleic anhydride: *correspondence*, 191
    health, employment, and financial outcomes in workers with, 491
    SHIELD scheme, West Midlands Region, UK, 791
  smoking adjusted mortality, Swedish working women: *correspondence*, 575
  toluene diisocyanate induced, outcome according to persistence or cessation of exposure, 60: *correspondence*, 1055
  in workers exposed to reactive dyes, 65

B

B cell subsets in peripheral blood in asbestosis, 183
BASIC program for sample size and power considerations for number of subjects with certain attribute: *correspondence*, 765
Battery workers, cadmium exposed, incidence of renal stones, 598
Benzene, urinary S-phenylmercapturic acid test as biomarker for low levels of exposure, 460
Bias in attitude, and a 'blind eye' turned against hazards of asbestos: *forum*, 1122
Bladder cancer, potential cause: *correspondence*, 380
British Journal of Industrial Medicine, 50 years on: *editorial*, 1
Bronchial symptoms and respiratory function, methylmethacrylate exposure, 894
Bronchoalveolar lavage, analysis of ferruginous bodies, foundry workers, 1032
Bronchoalveolar lavage fluid, long term effects of alumina on components, rats, 172
Butchers, self employed, and their wives, mortality and incidence of cancer, Geneva, 1008

C

Cadmium
  exposed battery workers, incidence of renal stones, 598
  exposure in zinc ore refinery, renal effects, nine year follow up study, 603
  markers of early renal changes, 37
Calcutta, child workers in small scale leather industry, health conditions, 938
Cancer
  among workers in a Norwegian nitrate fertiliser plant, 647
  and asbestos, history and public policy: *correspondence*, 95, 671
  and ethylene oxide exposure, 308: *correspondence*, 1125
  incidence and mortality
    among cohort of self employed butchers and their wives,

Geneva, 1008
mercury vapour exposure, chloralkali industry, Norway, 875
kidney, New South Wales, risk factors, occupation, 349
morbidity, cement workers, 264
morbidity and mortality polyurethane foam industry
Sweden, 537
UK, 528
mortality, ethylene oxide workers, 317
mortality and incidence among sewage workers, 653
in persons with occupational exposure to electromagnetic fields, Denmark, 758
Car body repair shop workers, neuropsychological performance and solvent exposure, 368: *correspondence*, 1126
Carbon black, respiratory health effects, survey of European carbon black workers, 1082
Carbon disulphide, low level exposure, nervous system effects, 301
Carbon tetrachloride, chronic intoxication (1944,1,11): *editor's choice*, 7
Carcinogenicity, effects of phosphorylation of chrysotile, 167
Cement workers
mortality and cancer morbidity, 264
see also Asbestos
Ceramics industry, comprehensive health evaluation of workers, 112
Cerebral blood flow, in solvent induced psycho-organic syndrome, 325
Chemical exposures and respiratory cancer, Finnish woodworkers, 143
Chest health survey, china clay workers, 1990, analyses, 913
Chest radiographs, in epidemiological investigations of pneumoconioses, 273
Child workers, health conditions, small scale leather industry, Calcutta, 938
Chimney sweeps, mortality and incidence of cancer, Sweden, 450
China, occupational lung cancer in asbestos factories, 1039
China clay workers, 1990 chest health survey, analyses, 913
Chloracne, probable, angiosarcoma, and porphyria cutanea tarda, in worker exposed to waste oil contaminated with 2,3,7,8-tetrachlorodibenzo-p-dioxin, 699
Chloralkali industry, cancer incidence and mortality, mercury vapour exposure, Norway, 875
Chloralkali plant, mercury and selenium in workers previously exposed to mercury vapour, 745
Chloralkali workers, decrease in mercury concentration in blood after long term exposure, 814
Chlorinated hydrocarbons, effects on kidney and liver of exposure to low concentrations, 331
Chlorohydrin production workers, mortality due to pancreatic and lymphopoietic cancers, 710
Chlorophenoxy herbicides, potential carcinogenicity, 340
Chromium compounds, and some other elements in fumes from manual metal arc stainless steel welding, relation between, 244
Chronic bronchitis, and farmer's lung, French dairy farmers, prevalence and risk factors, 941
Chrysotile
miners and millers, 1891–1920 birth cohort, mortality 1976–88, Quebec, 1073
mining, dust exposure and mortality, 1910–75: *editor's choice*, 1058
phosphorylation, effects on pleuropulmonary fibrogenicity and carcinogenicity, 167
Chrysotile asbestos, revisited: *correspondence*, 862
Cigarette smoke and mineral fibres, synergistic effects on production of TNF by alveolar macrophages, rats, 955
Circadian variations of acute toxicity and blood and brain concentrations of inhaled toluene, rats, 280
Cleaning agents, registered, for industrial and household use, contact allergens, 1043
Coal mine dust exposure, and pulmonary function in new miners, 929
Coal miners
with early pneumoconiosis, decreased glutathione content and glutathione S-transferase activity in red blood cells, 633
emphysema, and compensation revisited: *forum*, 1051
pneumoconiosis, miners and ex-miners with and without, death rates, South Wales (1956,13,102): *editor's choice*, 577
Cobalt, inhalation by sensitised guinea pigs, effects on lungs, 753
Cobalt oxides, cobalt salts, and cobalt metal exposure, epidemiological survey of workers, 835
Cognitive deficits 50 years after lead poisoning during childhood, 613
Coke oven plant workers, retired, mortality, 127
Coke oven workers, dermal and respiratory uptake of PAHs, 623
Colour vision, subclinical impairment, workers exposed to styrene: *correspondence*, 766
Compensation, coal mining and emphysema: *forum*, 1051
Computed tomography in early detection of asbestosis, 689
Contact allergens in registered cleaning agents for industrial and household use, 1043
Copper miners, mortality from lung cancer, 505
Cor pulmonale and silicosis, necropsy based case-control study, 544
Crocidolite asbestos, intratracheal instillation, and production of IL-1 by pleural leucocytes in culture, rat, 90
Cross sectional data, estimation of prevalence rate ratios for, example in occupational epidemiology: *correspondence*, 861
CS2, low level exposure, nervous system effects, 301
Cutting oils, and skin cancer, engineering industry (1950,7,1): *editor's choice*, 289

D

Dairy farmers, chronic bronchitis and farmer's lung, prevalence and risk factors, France, 941
Deep-sea fishing, hazards: *editor's choice*, 961
Denmark, lung cancer incidence by histological type among asbestos cement workers, 85; *correspondence*, 767
Dental technicians, self employed, respiratory symptoms, lung function, and pneumoconiosis, Paris, 443
Dermatitis, in workers exposed to reactive dyes, 65
Diatomaceous earth industry, mortality among workers, 586
DNA single strand breaks, exposure dependent increase, in leucocytes from workers exposed to low concentrations of styrene, 570
2,4-DP, potential carcinogenicity, 340
Dust
exposure, and mortality, in chrysotile mining, 1910–75: *editor's choice*, 1058
occupational exposure, and lung disease, sheet metal workers, 432
Dyes, reactive, asthma, rhinitis, and dermatitis in exposed workers, 65
Dyestuff industry workmen, urinary bladder tumours (1954,11,75): *editor's choice*, 389

E

Electromagnetic fields, cancer incidence in persons with occupational exposure, Denmark, 758

Emphysema, coal mining, and compensation revisited: *forum*, 1051
Encephalopathy, manganese, utility of early MRI, 510
Engineering industry, skin cancer from use of mineral oil (1950,7,1): *editor's choice*, 289
Erythrocytes, haemolysis by pentachlorophenol, suppression by albumin, 378
Ethylene glycol ethers, exposure, and spermatogenic disorders, case-control study, 71
Ethylene oxide, assessment of epidemiological evidence on carcinogenicity, 971
Ethylene oxide workers
  cancer mortality, 317
  in chemical manufacturing, mortality study, 10 year update, 704
  potentially exposed, 308: *correspondence*, 1125
Evoked potentials and cerebral blood flow, in solvent induced psycho-organic syndrome, 325
Extrinsic alveolitis, due to isocyanates, 213; amendment, 672

F

Farmer's lung, and chronic bronchitis, French dairy farmers, prevalence and risk factors, 941
Ferruginous bodies in BAL from foundry workers, analysis, 1032
Fibreglass, fine, pulmonary effects of exposure, irregular opacities and small airways obstruction: *correspondence*, 381, 382, 863, 1054
Fibreglass manufacturing
  malignant and non-malignant disease among employees: *correspondence*, 287
  malignant and non-malignant respiratory disease. II Exposure assessment, 717
Fibres based on cellulose, need for standardised testing procedures: *forum*, 187
Fibrogenicity, pleuropulmonary, effects of phosphorylation of chrysotile, 167
Fingertip vibratory sensation from hand-transmitted vibration and repetitive shock, temporary threshold shifts, 360
Finland, woodworkers, chemical exposures and respiratory cancer, 143
Formaldehyde
  14C-labelled, radioactivity from, distribution in pregnant mice and their fetuses, 176
  exposure, British chemical industry, cohort study of workers, update, 827
Foundry workers, analysis of ferruginous bodies in BAL, 1032
France, dairy farmers, chronic bronchitis and farmer's lung, prevalence and risk factors, 941
France (Lorraine), iron miners, lung functions, respiratory symptoms, and subsequent mortality, 1017
Fumigation, inadvertent inhalational methyl bromide poisoning, 155

G

Geneva, mortality and incidence of cancer among self employed butchers and their wives, 1008
Glomerular damage, hydrocarbon exposure and serum laminin, 1104
Glutaraldehyde exposure in hospitals, assessment, typical exposure levels and recommended control measures, 107
Glutathione, decreased content, and glutathione S-transferase activity, in red blood cells of coal miners with early pneumoconiosis, 633
Granite crushers exposed to moderately high silica concentrations, lung function changes, 12 year follow up, 726

H

Haemolysis of erythrocytes by pentachlorophenol and its suppression by albumin, 378
Haemolytic anaemia, in occupational asthma, due to maleic anhydride: *correspondence*, 191
Hand-arm vibration syndrome, objective testing for vasospasm: *correspondence*, 381
Hexachlorophene exposure in young patient with soft tissue sarcoma: *correspondence*, 670
High resolution pulmonary computed tomography scans quantified by analysis of density distribution, and asbestosis, 514
Hippuric acid, excretion after 2H8-toluene exposure, 55
Hunter, Donald 1898-1978, Editor BJIM 1944–50: *editorial*, 5
Hydrocarbon exposure, serum laminin, and glomerular damage, 1104
Hydrogen peroxide and superoxide radicals, generation by alveolar macrophages, granulocytes, and monocytes, effect of quartz and alumina dust, 732
Hypersensitivity pneumonitis presenting as sarcoidosis, 497

I

Immune system, as target for subclinical lead related toxicity, 185
Inhalation fever, proposed unifying term for febrile reactions to inhalation of noxious substances: *correspondence*, 287
Insulation workers, lung function, 252
Interleukin 1, production by pleural leucocytes in culture after intratracheal instillation of crocidolite asbestos, rat, 90
Iron miners, lung function, respiratory symptoms, and subsequent mortality, Lorraine (France), 1017
Ischaemic heart disease, predictors, shipyard workers exposed to asbestos, 785
Isocyanates, causing occupational asthma and extrinsic alveolitis, 213; amendment, 672

K

Kidney
  cancer, New South Wales, risk factors, occupation, 349
  effects of chlorinated hydrocarbons, low concentrations, 331

L

Laminin, serum, hydrocarbon exposure, and glomerular damage, 1104
Lead
  blood concentrations, misconceptions: *forum*, 1123
  in bone, improved instrument for in vivo detection, 637
  evaluation of delta-aminolaevulinic acid in blood of exposed workers, 49
  exposure, and Achilles tendon reflex latency, in detection of peripheral nervous system impairment, 229
  markers of early renal changes, 28
  poisoning during childhood, cognitive deficits 50 years after, 613
  -related toxicity, subclinical, immune system as target, 185
Lead worker, care (1949,6,125): *editor's choice*, 193
Leather industry, small scale, child workers, health conditions, Calcutta, 938
Leucocytes
  from workers exposed to low concentrations of styrene, exposure dependent increase in DNA single strand breaks, 570
  pleural, IL production in culture after intratracheal instillation of crocidolite asbestos, rat, 90

Liver, effects of chlorinated hydrocarbons, low concentrations, 331
Low back pain in the workplace, attainable benefits not attained: *editorial*, 385
Lung cancer
histological types, effect of occupational air pollutants, 136
incidence by histological type among asbestos cement workers, Denmark, 85; *correspondence*, 767
mortality
asbestos workers (1955,12,81): *editor's choice*, 484
copper miners, 505
uranium miners, Ontario, 920
occupational, in asbestos factories, China, 1039
see also Respiratory cancer
Lung disease
occupational, future of research: *editorial*, 481
sheet metal workers, and occupational exposure to dust, 432
Lung function
in insulation workers, 252
and non-malignant diseases associated with asbestos, predictors of ischaemic heart disease, shipyard workers, 785
pre-employment, at age 16 years, as guide to lung function in adult life, 422
respiratory symptoms
and pneumoconiosis, among self employed dental technicians, Paris, 443
and subsequent mortality, iron miners, Lorraine (France), 1017
Lymphocytes
B and T cell subsets, in peripheral blood in asbestosis, 183
of petroleum retailers, sister chromatid exchanges, 149
subsets, in subjects exposed to asbestos, changes in circulating natural killer cells: *correspondence*, 575
Lymphopoietic and pancreatic cancers, in chlorohydrin production workers, mortality, 710

M

Magnetic resonance imaging, in manganese encephalopathy, 510
Maleic anhydride, causing haemolytic anaemia in occupational asthma: *correspondence*, 191
Man made mineral fibres, workers exposed to, follow up study, 658
Manchester University, Chair of Occupational Health, 1945–1993, 418
Manganese encephalopathy, utility of early MRI, 510
Manual metal arc stainless steel welding, relation between chromium compounds and some other elements in fumes, 244
MCPA, MCPP, potential carcinogenicity, 340
Melanoma
nasal: *correspondence*, 767
and occupation, results of case-control study in The Netherlands, 642
Mental retardation and parental occupation, applicability of job exposure matrices, 945
2-Mercaptobenzothiazole exposure, mortality trends, chemical plant, West Virginia, 888
Mercury
decreased concentration in blood after long term exposure, chloralkali workers, 814
poisoning, chronic (1946,3,55): *editor's choice*, 97
and selenium, in workers previously exposed to mercury vapour at a chloralkali plant, 745
Mercury vapour exposure
chloralkali industry, cancer incidence and mortality, Norway, 875
relation between exposure related indices and neurological and neurophysiological effects, 736
markers of early renal changes, 17
previous exposure, chloralkali plant, renal dysfunction, 881
Mesothelioma of pleura and peritoneum following exposure to asbestos, London area: *editor's choice*, 769
Methyl bromide poisoning, inhalational, systemic effects, 155
Methylene diphenyldiisocyanate exposure, and cancer incidence, polyurethane foam manufacturing industry, 1003
Methylmethacrylate exposure, bronchial symptoms and respiratory function, 894
Mineral fibres
and cigarette smoke, synergistic effects on production of TNF by alveolar macrophages, rats, 955
correlation between oxidising surface activity and DNA base hydroxylation, 501
exposure, biological indications and significance, workshop, Japan, November 1991: meeting report, 412
man made, workers exposed to, follow up study, 658
Mineral oil, and skin cancer, engineering industry (1950,7,1): *editor's choice*, 289
Miners
and ex-miners, with and without coalworkers' pneumoconiosis, death rates, South Wales (1956,13,102): *editor's choice*, 577
stomach cancer mortality, Ontario, 117
Mortality
1976–88, of 1891–1920 birth cohort of Quebec chrysotile miners and millers, 1073
among wives of asbestos cement industry workers, Casale Monferrato, Italy, 779
cement workers, 264
and dust exposure, in chrysotile mining, 1910–75: *editor's choice*, 1058
experience of employees exposed to 2-mercaptobenzothiazole, chemical plant, Nitro, West Virginia, 888
from lung cancer, uranium miners, Ontario, 920
and incidence of cancer among cohort of self employed butchers and their wives, Geneva, 1008
and radiographic abnormalities, in crocidolite exposure, 902
study of workers employed at plant manufacturing chemicals for the rubber industry, 1955–86, 998

N

Nasal melanoma: *correspondence*, 767
Natural killer cells, circulating, changes, in subjects exposed to asbestos: *correspondence*, 575
Nephrotoxicity, silica, in occupationally exposed workers, further evidence, 907
Neuropsychiatric symptoms, increase after occupational exposure to low levels of styrene, 843
Neuropsychological performance and solvent exposure, car body repair shop workers, 368: *correspondence*, 1126
New South Wales, kidney cancer, risk factors, occupation, 349
Nickel sinter plant workers, prevalence of small opacities in chest radiographs, 428
Nitrate fertiliser plant, cancer incidence, Norway, 647
Non-Hodgkin's lymphoma
exposure to ethylene oxide, 308: *correspondence*, 1125
and occupation, Sweden, registry based analysis, 79
Norway, chloralkali industry, cancer incidence and mortality, mercury vapour exposure, 875
Notices, 95, 192, 288, 384, 576, 671, 768, 1056

O

Occupational Health, Chair at Manchester University, 1945–1993, 418
Oil distribution centre cohort, further follow up of mortality, UK, 561
Oil refinery cohort, further follow up of mortality, UK, 549
Ontario
  miners, stomach cancer mortality, 117
  uranium miners, mortality from lung cancer, 920
Opacities
  irregular, pulmonary, and fine fibreglass exposure: correspondence, 381, 382, 863, 1054
  small, prevalence in chest radiographs of nickel sinter plant workers, 428
Organic solvents, occupational exposure as cause of sleep apnoea, 276
Osteoarticular disorders, evolution, as function of past heavy physical work factors, 627 retired subjects living in Paris area, 851

P

Pancreatic and lymphopoietic cancers, in chlorohydrin production workers, mortality, 710
Paraquat, long term exposure, tea plantation workers, epidemiology of health, Sri Lanka, 257
Parental occupation and mental retardation, applicability of job exposure matrices, 945
Paris, respiratory symptoms, lung function, and pneumoconiosis, self employed dental technicians, 443
Pentachlorophenol, and haemolysis of erythrocytes, suppression by albumin, 378
Peripheral nervous system impairment, detection after lead exposure by latency of Achilles tendon reflex, 229
Petroleum retailers, sister chromatid exchange in lymphocytes, 149
S-Phenylmercapturic acid, urinary test as biomarker for low levels of exposure to benzene, 460
Pleural leucocytes, IL-1 production in culture after intratracheal instillation of crocidolite asbestos, rat, 90
Pleural thickening, effect of smoking, asbestos workers, 898
Plumboporphyria (ALAD deficiency) in lead worker, scenario for potential diagnostic confusion, 1119
Pneumoconiosis
  chest radiographs in epidemiological investigations, 273
  coalworkers', miners and ex-miners with and without, death rates, South Wales (1956,13,102): *editor's choice*, 577
  early, coal miners, decreased glutathione content and glutathione S-transferase activity in red blood cells, 633
  respiratory symptoms, and lung function, among self employed dental technicians, Paris, 443
Pneumonitis, hypersensitivity, presenting as sarcoidosis, 497
Pollutants, industrial, markers of early renal changes. I Application to workers exposed to mercury vapour, 17; II Application to workers exposed to lead, 28; III Application to workers exposed to cadmium, 37
Polychlorinated biphenyl exposure, reliability of self reported work histories from cohort of workers, 822
Polycyclic aromatic hydrocarbons, dermal and respiratory uptake, 12 coke oven workers, 623
Polyurethane foam manufacturing industry, cancer morbidity and mortality
    Sweden, 537
    UK, 528
  toluene diisocyanate and methylene diphenyldiisocyanate exposure, and cancer incidence, 1003
Porphyria cutanea tarda, angiosarcoma, and probable chloracne, in worker exposed to waste oil contaminated with 2,3,7,8-tetrachlorodibenzo-p-dioxin, 699
Pre-employment lung function at age 16 years, as guide to lung function in adult life, 422
Pregnancy, distribution of radioactivity from 14C-formaldehyde in pregnant mice and their fetuses, 176
Prevalence rate ratios, estimation, for cross sectional data, example in occupational epidemiology: *correspondence*, 861
Psycho-organic syndrome, solvent induced, evoked potentials and cerebral blood flow, 325
Pulmonary effects of fine fibreglass exposure, irregular opacities and small airways obstruction: *correspondence*, 381, 382, 863, 1054
Pulmonary function, and coal mine dust exposure, new miners, 929

Q

Quartz and alumina dust, effect on generation of superoxide radicals and hydrogen peroxide by alveolar macrophages, granulocytes, and monocytes, 732
Quebec
  chrysotile miners and millers, 1891–1920 birth cohort, mortality 1976–88, 1073
  dust exposure and mortality in chrysotile mining, 1910–75: *editor's choice*, 1058

R

Radiant heat, semen quality in exposed welders: *correspondence*, 1055
Radiographic abnormalities and mortality in crocidolite exposure, 902
Renal changes induced by industrial pollutants, markers. I Application to workers exposed to mercury vapour, 17; II Application to workers exposed to lead, 28; III Application to workers exposed to cadmium, 37
Renal dysfunction, previous mercury vapour exposure, chloralkali plant, 881
Renal effects after exposure to cadmium in a zinc ore refinery, nine year follow up study, 603
Renal stones, incidence among cadmium exposed battery workers, 598
Repetitive shock, temporary threshold shifts, 360
Respiratory cancer
  and chemical exposures, Finnish woodworkers, 143
  see also Lung cancer
Respiratory disease, malignant and non-malignant, in fibreglass manufacturing. II Exposure assessment, 717
Respiratory function, and bronchial symptoms, methylmethacrylate exposure, 894
Respiratory health effects of carbon black, survey of European carbon black workers, 1082
Respiratory symptoms, lung function, and pneumoconiosis, among self employed dental technicians, Paris, 443
Rhinitis, in workers exposed to reactive dyes, 65
Riveting, acute vascular effects, 160
Rubber industry, plant manufacturing chemicals for, mortality study of workers, 1955–86, 998

S

Sarcoidosis, hypersensitivity pneumonitis presenting as, 497
Seamstress's finger, 668
Selenium and mercury in workers previously exposed to mercury vapour at a chloralkali plant, 745
Semen quality, in welders exposed to radiant heat: *correspondence*, 1055

Sewage workers, cancer, mortality and incidence, 653
Sheet metal workers, occupational exposure to dust and lung disease, 432
SHIELD scheme, West Midlands Region, UK, to study occupational asthma, 791
Shipyard workers
  cancer incidence, 1097
  exposed to asbestos, predictors of ischaemic heart disease, 785
Sickness absence, individual variations: *editor's choice*, 865
Silica
  lung function changes in granite crushers exposed to moderately high concentrations, 12 year follow up, 726
  nephrotoxicity, in occupationally exposed workers, further evidence, 907
Silicon carbide, toxicological investigations
  inhalation studies, 797
  in vitro cell tests and long term injection tests, 807
Silicosis and cor pulmonale, necropsy based case-control study, 544
Sister chromatid exchanges in lymphocytes of petroleum retailers, 149
Skin cancer, from use of mineral oil, engineering industry (1950,7,1): *editor's choice*, 289
Sleep apnoea, occupational exposure to organic solvents as cause, 276
Smoking
  adjusted mortality due to asthma, Swedish working women: *correspondence*, 575
  among fireglass workers: *correspondence*, 287
  effect on pleural thickening, asbestos workers, 898
Soft tissue sarcoma, and hexachlorophene exposure: *correspondence*, 670
Solvent exposure, neuropsychological performance, car body repair shop workers, 368: *correspondence*, 1126
Solvent induced psycho-organic syndrome, evoked potentials and cerebral blood flow, 325
Somatosensory evoked potentials in workers exposed to toluene and styrene, 520
Spermatogenic disorders, and exposure to ethylene glycol ethers, case-control study, 71
Sri Lanka, tea plantation workers associated with long term paraquat exposure, epidemiology of health, 257
Steel
  mild, welders, cancer incidence, 1097
  mild and stainless, mortality study among welders, 234
Stomach cancer, mortality, Ontario miners, 117
Styrene
  exposure dependent increase in DNA single strand breaks in leucocytes of workers exposed to low concentrations, 570
  increase in neuropsychiatric symptoms after occupational exposure to low levels, 843
  somatosensory evoked potentials in exposed workers, 520
  subclinical impairment of colour vision among exposed workers: *correspondence*, 766
Subjects with a certain attribute, sample size and power considerations to procure required number, BASIC program: *correspondence*, 765
Superoxide radicals and hydrogen peroxide, generation by alveolar macrophages, granulocytes, and monocytes, effect of quartz and alumina dust, 732
Sweden
  chimney sweeps, mortality and incidence of cancer, 450
  non-Hodgkin's lymphoma and occupation, registry based analysis, 79

T

T cell subsets in peripheral blood in asbestosis, 183
Tea plantation workers associated with long term paraquat exposure, epidemiology of health, Sri Lanka, 257
Temporary threshold shifts in fingertip vibratory sensation from hand-transmitted vibration and repetitive shock, 360
2,3,7,8-Tetrachlorodibenzo-p-dioxin, contaminated waste oil, angiosarcoma, porphyria cutanea tarda, and probable chloracne in exposed worker, 699
Title change to *Occupational and Environmental Medicine*, 1057
Toluene 2H8, toxicokinetics of toluene and urinary excretion of hippuric acid after exposure, 55
Toluene
  inhaled, circadian variations of acute toxicity and blood and brain concentrations, rats, 280
  somatosensory evoked potentials in exposed workers, 520
Toluene diisocyanate
  exposure, and cancer incidence, polyurethane foam manufacturing industry, 1003
  induced asthma, outcome according to persistence or cessation of exposure, 60: *correspondence*, 1055
  occupational exposure, biological monitoring, 1111
Trichloroethylene, acute neurobehavioural effects, 470
Tumour necrosis factor, production by alveolar macrophages, synergistic effects of mineral fibres and cigarette smoke, rats, 955

U

Uranium miners, mortality from lung cancer, Ontario, 920
Urinary bladder tumours, in workmen in dyestuff industry (1954,11,75): *editor's choice*, 389

V

Vascular effects, acute, of riveting, 160
Vasospasm, in hand-arm vibration syndrome, objective testing: *correspondence*, 381
Vibration, hand-transmitted, temporary threshold shifts, 360

W

Waste oil contaminated with 2,3,7,8-tetrachlorodibenzo-p-dioxin, angiosarcoma, porphyria cutanea tarda, and probable chloracne in exposed worker, 699
Welders
  exposed to radiant heat, semen quality: *correspondence*, 1055
  mild and stainless steel, mortality study, 234
  of mild steel, and other shipyard workers, cancer incidence, 1097
Welding fumes, relation between chromium compounds and some other elements, 244
West Virginia, chemical plant, 2-mercaptobenzothiazole exposure, mortality trends, 888
Woodworkers, chemical exposures and respiratory cancer, Finland, 143

Z

Zinc ore refinery, cadmium exposure, renal effects, nine year follow up study, 603